UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL RESEARCH SERVICE MIDWEST AREA CEREAL CROPS RESEARCH UNIT

MISSISSIPPI VALLEY REGIONAL SPRING BARLEY NURSERY 2012 Crop

Preliminary Quality Report

C. H. Martens and *Staff

Detailed Data:

Aberdeen, ID Crookston, MN Fargo, ND

Appendix: Methods Criteria for Quality Score

This is a joint progress report of cooperative investigations being conducted in the Agricultural Research Service of the U.S. Department of Agriculture and State Agricultural Experiment Stations. It contains preliminary data that have not been sufficiently confirmed to justify general release; interpretations may be modified with additional experimentation. Confirmed results will be published through established channels. The report is primarily a tool available to cooperators and their official staffs and for those persons who are interested in the development of improved barleys.

This report includes data furnished by the Agricultural Research Service and by the State Agricultural Experiment Stations. The report is not intended for publication and should not be referred to in literature citations nor quoted in publicity or advertising. Use of the data may be granted for certain purposes upon written request to the agency or agencies involved.

Samples were malted and analyzed by the Cereal Crops Research Unit, Madison, WI

October 2013 CCRU-MWA-133

Malting Quality of the Mississippi Valley Uniform Regional Barley Nursery – 2012 Crop

The Mississippi Valley Uniform Regional Barley Nursery (MVBN) is an annual, cooperative effort among ARS and several US and Canadian breeding programs to compare advanced lines grown under different environmental conditions. Dr. Michael Edwards (USDA ARS Cereal Crops Research, Fargo, ND) coordinates the program and reports agronomic and disease data on these submissions:

http://www.ars.usda.gov/research/publications/publications.htm?seq_no_115=292143. In this report, the malting quality of 2012 MVBN lines received from Aberdeen, Idaho, Crookston, Minnesota, and Fargo, North Dakota are evaluated.

The barleys were characterized and then malted in Joe White (JW) micro-malters, under conditions that should generate malts having modification levels similar to those produced by industrial breweries. Subsequently, they were analyzed for quality using the Methods of the American Society of Brewing Chemists (ASBC). (Detailed descriptions of the malting conditions and analytical methods employed are listed in Appendix A). The criteria and value assignments used to calculate quality scores were based upon the "Ideal Commercial Malt Criteria" developed by the American Malting Barley Association (AMBA). These are listed in Appendix B.

Statistical analyses were performed on the quality data using SAS 9.2 software and the station mean values for fourteen quality factors are listed across all lines (Table 1) and varietal means across the 3 stations (Table 2). Individual station data are reported in Tables 3 through 5. These statistics allowed evaluation of data from individual locations and overall performance of each line.

The Aberdeen, Idaho barley submissions (Table 3) had a significantly higher average kernel weight, than either of the other locations. However, average "Plumpness" (6/64" screen) did not differ significantly from Crookston, but was higher than Fargo. These factors contributed to a significantly higher average Malt Extract score for Aberdeen barleys relative to the other locations, and, as expected, the average kernel brightness (Agtron colorimeter) was significantly higher for these samples, than those from the two Midwestern locations. In addition, the Aberdeen barleys averaged significantly lower dry basis protein (12.3%) than Crookston (13.6%) or Fargo (14.4%), which also contributed to the Malt Extract result. Other factors influenced by this were the average Soluble Protein, Diastatic Power, Alpha-Amylase and Free Amino Nitrogen (FAN) values generated from these malted barleys. All were significantly lower relative to those from Crookston and Fargo. It should also be noted that malts made from the Aberdeen barleys exhibited the highest average Beta-Glucan and Viscosity scores. Their average Turbidity levels did not differ significantly from those of Crookston, but were higher, significantly, than those from Fargo.

The barley samples received from Crookston, Minnesota (Table 4) had an average kernel weight (35.4mg) intermediate to the other two locations – significantly higher than Fargo (32.9mg), but lower than Aberdeen (36.3mg). The Crookston barleys did not differ

significantly in Plumpness from those of Aberdeen. Despite this, and likely due to the lower Barley Protein and higher Kernel Weight size averages for the Aberdeen barleys, the Crookston submissions averaged significantly lower Malt Extract. They showed the lowest average Kernel brightness, which increased progressively for the more western locations, with the highest average Agtron value from Aberdeen, ID. This trend was not reflected in the average Wort Color generated for samples from each location; none were significantly different. Even though the barley protein average was significantly less than that of Fargo, the Crookston barleys generated an average Diastatic Power not significantly different from Fargo's average. The Alpha-amylase and FAN averages were statistically intermediate to those of Fargo (higher), and Aberdeen (lower), respectively.

The MVBN barleys grown at Fargo (Table 5) had the lowest average Kernel Weight and Plumpness scores of any location. Nevertheless, their Malt Extract average was not significantly different than that for Crookston. This location yielded the highest average barley protein, and this carried through to the Soluble Protein, Alpha-amylase, and FAN averages for the Fargo barleys, which were significantly higher than those of all other locations; the Diastatic Power average was higher than that of Aberdeen, but not significantly different from that of Crookston. These barleys displayed the lowest average Turbidity and Viscosity of the locations. Yet, due to this location's high barley and soluble protein averages, the malts made from Fargo submissions averaged the lowest Overall Quality Score (44.2), which was significantly lower than Crookston (50.2), which was significantly lower than Aberdeen (55.3).

The top performing line across locations was ND25652. This was true even though it was not grown at, and submitted from Aberdeen, the location which produced the highest overall quality average. It was well-rounded across the quality parameters, and didn't excel in any one area, other than very low Beta-Glucan levels – the lowest average of any line in the MVBN. (ND25652 was also a top performer among the 2011 MVBN barleys). Not surprisingly, the established malting variety Lacey yielded an excellent overall malting quality score across locations; its malts had low Beta-Glucan levels at all 3 locations and good Malt Extract scores at 2 of 3 locations; its Malt Extract average was in the top third, across locations; and it had the 6^{th} lowest average viscosity in the nursery. Other excellent performers, across locations, included M154, ND27177, ND27245, 6B09-4235, 6B08-3210, SR440, and M145, all of which had higher average overall quality scores than Tradition. Though M145 had the lowest average kernel brightness (44) in the MVBN, its malts, when mashed/extracted, didn't show excessive average wort color, and had low turbidity and extremely low viscosity. Another negative was that its mash extract had excessive soluble protein at 2 of 3 locations, with the malt produced from its lower protein Aberdeen barley, the only one yielding less than 6.00% soluble protein, in the mash extract. ND27177 exhibited very good Malt Extract for a 6rowed barley: 79.7%. Its malts showed a very high average Diastatic Power of 199, and FAN of 229ppm, however its average viscosity and turbidity were the 2nd and 5th highest in the nursery, respectively. As with ND25652, ND27245 received a high score for overall quality, without standing out in any of the parameters. 6B09-4235 had the second highest kernel brightness (Agtron) average and third lowest Beta-Glucan average

(81ppm) of all samples, while 6B08-3210 had an excellent Malt Extract average (80.1%) -- for a 6-rowed barley -- and the second lowest barley protein average in the nursery. SR440 also exhibited a low barley protein average across locations, which helped its mean Malt Extract reach 80.3%. Interestingly, even with the lower barley protein, it developed a high FAN average, and the sixth highest Soluble Protein (6.27%); the latter moved it to the highest Kolbach Index average of these barleys. Protein modification was vigorous with this barley. SR440 also yielded the second highest Alpha-amylase average. Finally, M145 overcame a greater than ideal Beta-Glucan level to achieve a very good overall Quality Score, with solid Diastatic Power and FAN averages. Another negative aspect of M145 was that it displayed the lowest barley color (Agtron) score in the nursery.

The 2012 MVBN submissions which displayed the lowest overall Quality scores were 2ND26333 and 2ND27440. In the case of 2ND26333, even though it had a very large kernel weight average and good plumpness, it yielded the third lowest Malt Extract average of 77.7%, likely due to its second highest Barley Protein % average. Even with the high Barley Protein score, its Soluble Protein average was mid-pack at 5.95%, which contributed to the second lowest S/T average – 41.4. (It also was not grown at Aberdeen, ID, where grain protein averages were lowest, and average overall quality the highest). 2ND27440 had the lowest S/T average at 40.0. Clearly, protein modification was very slow with these two barleys, relative to the others. 2ND26333 did produce a good (2-rowed) Diastatic Power average of 154°, however 2ND27440 performed poorly with an average DP of 105°-- the lowest in the nursery -- and its Alpha-amylase average of 62.7DU was the second lowest. It had the lowest FAN, second highest Beta-Glucan, and third highest Turbidity averages for this set of barleys, while 2ND26333 achieved good FAN, DP, Alpha-amylase, Turbidity, and Viscosity averages. However, its Beta-Glucan average was 150ppm.

*We wish to thank the American Malting Barley Association (AMBA) for supporting this project. This report could not have been produced without the commitment and excellent technical work of our staff contributors: Jordon Geurts, USDA-ARS Biological Science Technician; Keith Gilchrist, USDA-ARS Physical Science Technician; Michael Marinac, USDA-ARS Physical Science Technician; and Andrew Standish, U. of Wisconsin Research Specialist (AMBA-funded).

MISSISSIPPI VALLEY UNIFORM REGIONAL BARLEY NURSERY - 2012 Crop

Table 1 - Station Means* of Barley and Malt Quality Factors for 34 Varieties or Selections**

	Kernel	on	Barley	Malt		Barley	Wort			Alpha-	Beta-				
	Weight	6/64"	Color	Extract	Wort	Protein	Protein	S/T	DP	amylase	glucan	FAN	Viscosity	Turbidity	Quality
LOCATION	(mg)	(%)	(Agtron)	(%)	Color	(%)	(%)	(%)	(°ASBC)	(20°DU)	(ppm)	(ppm)	(Relative)	(HACH)	Score
Aberdeen, ID	36.3 a	90.9 a	70.4 a	80.3 a	1.87 a	12.3 c	5.43 c	47.2 a	141 b	68.6 c	209 a	204 c	1.50 a	8.4 a	55.3 a
Crookston, MN	1 35.4 b	91.0 a	48.0 c	78.7 b	1.95 a	13.6 b	5.90 b	44.4 c	187 a	77.6 b	139 b	223 b	1.48 b	8.2 a	50.2 b
Fargo, ND	32.9 c	84.2 b	54.4 b	78.8 b	1.88 a	14.4 a	6.40 a	45.8 b	187 a	82.9 a	166 b	253 a	1.44 c	5.6 b	44.2 c

^{*} Within each column, means followed by the same letter are not significantly different (alpha <0.05), according to Duncan's Multiple Range Test

^{**} Morex, Robust, Legacy, Lacey, Tradition, Pinnacle, 2ND25276, M145, 2ND26333, M150, ND23898, ND25652, ND27245, 2ND27421, 2ND27440, SR440, M148, M151, M153, M154, ND26891, ND27177, ND28993, 2ND28065, 2ND28131, 6B08-3210, 6B09-3531, 6B09-3580, 6B09-3655, 6B09-4021, 6B09-4235, SR446, SR447, SR448

MISSISSIPPI VALLEY UNIFORM REGIONAL BARLEY NURSERY - 2012 Crop

Table 2 - Varietal Means* of Barley and Malt Quality Factors for Three Stations**

		or Barley an				niee Station		144 4			**					
Variety	Kernel	on	Barle		Malt		Barley	Wort	0.77		Alpha-	Beta-	E444		-	0 !!
or	Weight	6/64"	Colo		Extract	Wort	Protein	Protein	S/T	DP	amylase	glucan	FAN	Viscosity	Turbidity	Quality
Selection	(mg)	(%)	(Agtro		(%)	Color	(%)	(%)	(%)	(°ASBC)	(20°DU)	(ppm)	(ppm)	(Relative)	(HACH)	Score
Morex	31.5 ij	81.6 g	55.0 bo		3.2 efghi	1.87 abcde		6.23 abcdefg	44.8 ghijkl	209 abc	82.7 cdefg	118 efgh	236 cdefgh	1.44 ij	5.7 c	49.7 abcd
Robust	32.5 ghij	85.4 bcdefg	53.3 co		U	1.70 def	14.1 abcde	6.08 bcdefghi	٠,		65.6 mno	205 bcde	220 defghijk	1.46 cdefghi	4.5 c	46.3 abcd
Legacy	31.4 j	82.3 fg	59.0 al				13.8 abcdefg	6.48 abcd	48.5 bcde	202 abcd	91.0 b	201 bcdef	244 bcdefg	1.45 efghij	4.2 c	45.3 abcde
Lacey	33.6 fghij	88.9 abcdefg			.8 abcd		13.4 bcdefghi	5.98 cdefghij	46.6 efghij	181 abcdefg	υ,	121 efgh	219 defghijkl	ο,	5.4 c	57.3 ab
Tradition	33.3 fghij	87.4 abcdefg			3.6 cdefgh		13.6 bcdefghi	5.74 fghijklm	43.7 ijklm	213 ab	78.1 efghi	152 efgh	214 fghijkl	1.48 bcdefg	12.9 bc	52.7 abcd
Pinnacle	42.0 ab		56.5 at).5 a	1.80 bcdef	•	5.19 lm	43.4 jklm	117 h	62.8 no	302 abc	182 lm	1.49 bcde	9.5 bc	42.0 cde
2ND25276	40.3 bc	94.1 ab	50.0 de	ef 80).3 a	1.90 abcde		5.44 ijklm	45.5 efghijk	116 h	78.8 defgh		192 jklm	1.49 bcde	6.6 c	52.3 abcd
M145	33.2 fghij	87.5 abcdefg	44.0 f	79	0.1 abcefdg	1.83 abcdet	13.3 cdefghi	6.25 abcdef	47.3 defgh	181 abcdefg	68.0 klmno		238 cdefgh	1.44 hij	5.2 c	53.0 abcd
2ND26333	37.2 de	87.6 abcdefg	48.5 ef	f 7 7	'.7 ghi	1.75 cdef	14.8 ab	5.95 defghij	41.4 mn	154 g	98.3 a	150 efgh	213 ghijkl	1.42 j	4.4 c	33.0 e
M150	31.7 ij	83.8 defg	55.0 bo	cde 78	3.7 bcdefgh	1.80 bcdef	14.1 abcde	6.03 cdefghi	45.0 fghijkl	187 abcdefg	76.6 fghij	209 bcde	218 defghijkl	1.46 cdefghi	4.7 c	49.7 abcd
ND23898	31.2 j	80.9 g	55.5 at	bcde 78	3.4 defghi	1.75 cdef	14.3 abcd	6.10 abcdefgh	43.2 klm	210 abc	85.7 bcde	77 gh	232 cdefghi	1.45 efghij	6.1 c	50.0 abcd
ND25652	31.5 j	82.7 fg	59.5 at	bcd 78	3.4 defghi	1.75 cdef	13.5 bcdefghi	5.96 defghij	46.1 efghijk	215 a	84.4 bcdef	52 h	227 cdefghij	1.45 fghij	5.0 c	59.0 a
ND27245	33.3 fghij	91.5 abcdef	64.3 at	b 7 9	.4 abcdef	1.60 ef	13.0 defghi	5.74 fghijklm	46.3 efghijk	179 abcdefg	72.3 hijklm	121 efgh	206 hijklm	1.46 defghi	4.8 c	56.3 ab
2ND27421	43.8 a	95.5 a	48.7 ef	f 7 9	0.7 abcd	1.97 abcde	13.2 cdefghi	5.34 jklm	42.0 Imn	179 abcdefg	67.4 Imno	366 a	188 klm	1.53 a	8.4 bc	51.0 abcd
2ND27440	41.4 ab	93.8 ab	55.7 at	bcde 79	.8 abcd	1.93 abcde	13.4 bcdefghi	5.16 m	40.0 n	105 h	62.7 o	332 a	176 m	1.50 abcd	13.1 bc	41.0 de
SR440	32.0 hij	82.2 fg	53.3 co	def 80).3 a	2.07 abcd	12.6 fghi	6.27 abcdef	51.7 a	167 defg	91.9 ab	117 efgh	251 bcdef	1.44 ghij	5.2 c	53.3 abcd
M148	33.6 fghij	87.4 abcdefg	58.0 at	bcde 79	.2 abcdef	2.07 abcd	13.7 abcdefgh	6.61 abc	50.3 abcd	173 cdefg	78.0 efghi	286 abcd	275 ab	1.49 bcdef	4.3 c	44.0 bcde
M151	32.7 ghij	83.3 efg	54.7 bo	cde 79	.6 abcdef	1.97 abcde	13.4 bcdefghi	6.22 abcdefg	48.2 bcdef	160 fg	75.2 ghijkl	186 cdefg	258 abc	1.46 cdefghi	5.2 c	51.0 abcd
M153	32.9 ghij	85.7 bcdefg	65.3 a	78	3.7 bcdefgh	2.03 abcd	14.2 abcd	6.25 abcdef	46.3 efghijk	206 abc	74.0 hijkl	161 efgh	252 bcde	1.46 cdefghi	7.9 c	46.3 abcd
M154	34.8 efghi	94.1 ab	59.0 al	bcd 79	.3 abcdef	1.87 abcde	13.5 bcdefghi	5.82 efghijkl	45.0 fghijkl	162 efg	73.8 hijkl	194 bcdefg	226 cdefghij	1.47 cdefghi	9.9 bc	56.7 ab
ND26891	34.0 efghij	88.9 abcdefg	61.7 at	bc 7 9	.2 abcdef	2.13 abc	13.0 defghi	5.73 fghijklm	46.2 efghijk	158 fg	69.4 jklmno	118 efgh	210 ghijklm	1.50 abc	16.7 ab	42.0 cde
ND27177	33.7 fghij	90.9 abcdef	63.0 al	bc 79	.7 abcde	2.07 abcd	13.2 defghi	5.75 fghijklm	46.0 efghijk	199 abcde	75.7 ghijk	124 efgh	229 cdefghij	1.51 ab	12.4 bc	56.7 ab
ND28993	33.4 fghij	92.7 abcd	58.3 at	bcde 78	3.9 abcdefgh	2.10 abcd	13.3 cdefghi	6.06 cdefghi	48.9 efghi	171 cdefg	74.7 ghijkl	124 efgh	237 cdefgh	1.50 abc	8.1 c	51.7 abcd
2ND28065	38.5 cd	91.0 abcdef	54.7 bo	cde 80).3 a	1.47 f	12.8 efghi	5.25 klm	41.9 lmn	115 h	61.8 o	212 bcde	196 ijklm	1.47 cdefghi	4.1 c	45.7 abcde
2ND28131	41.9 ab	93.2 abc	50.0 de	ef 80).3 a	1.95 abcde	12.7 fghi	5.16 m	41.5 mn	115 h	71.4 hijklm	308 ab	198 ijklm	1.49 bcde	21.4 a	49.3 abcd
6B08-3210	34.1 efghij	88.0 abcdefg	62.0 at	bc 80).1 abc	1.83 abcdet	12.5 hi	5.74 fghijklm	47.8 cdefg	157 fg	70.4 ijklmn	208 bcde	224 cdefghijk	1.49 bcdef	7.3 c	54.7 abcd
6B09-3531	32.9 ghij	89.3 abcdefg	55.7 at	bcde 79	.1 abcdefg	2.23 a	13.6 bcdefgh	6.73 a	50.6 abc	175 bcdefg	91.0 b	126 efgh	289 a	1.49 bcdef	5.7 c	48.3 abcd
6B09-3580	34.2 efghij	86.2 abcdefg	58.7 at	bcde 78	3.1 fghi	1.87 abcde	13.6 bcdefghi	5.59 ghijklm	43.5 jklm	175 bcdefg	78.7 defgh	141 efgh	229 cdefghi	1.47 cdefghi	5.2 c	45.3 abcde
6B09-3655	35.8 defg	93.1 abc	57.7 at	bcde 77	'.5 hi	1.90 abcde	13.9 abcdef	5.85 defghijk	43.5 jklm	191 abcdefg	75.3 ghijkl	101 efgh	221 cdefghijk	1.48 bcdefghi	5.9 c	48.0 abcd
6B09-4021	36.3 def	95.2 a	56.0 at	bcde 77	'.1 i	1.83 abcde	14.9 a	5.96 defghij	41.8 İmn	196 abcdef	72.7 hijklm	106 efgh	٠,	1.48 bcdefghi		48.0 abcd
6B09-4235	35.5 defg	92.4 abcde	64.7 at	b 78	3.7 bcdefgh	1.77 bcdef	13.0 defghi	5.48 hijklm	44.2 ijklm	172 cdefg	75.0 ghijkl	81 fgh	215 efghijkl	1.48 bcdefgh	5.7 c	55.0 abc
SR446	34.4 efghij	87.0 abcdefg	62.0 at).2 ab	1.90 abcde	13.3 cdefghi	6.45 abcde	50.6 abc	175 bcdefg	86.2 bcd	113 efgh	255 bcd	1.47 bcdefghi		49.0 abcd
SR447	31.1 j ´´	83.9 cdefg	62.3 at	bc 80).2 ab	1.93 abcde	13.4 bcdefghi	6.01 cdefghi	47.6 cdefg	152 g	78.5 efghi	107 efgh	233 cdefghi	1.48 bcdefgh	5.9 c	50.7 abcd
SR448	35.1 efgh	88.9 abcdefg	59.7 at	bcd 7 9	0.9 abcd	2.17 ab	13.8 abcdefgh	6.70 ab	51.1 ab	205 abcd	87.5 bc	93 efgh	275 ab	1.48 bcdefgh	6.0 c	52.3 abcd
		- 3					- 3					-		3		

^{*} Within each column, means followed by the same letter are not significantly different (alpha <0.05), according to Duncan's Multiple Range Test

^{**} Crookston, MN; Fargo, ND; Aberdeen, ID

Mississippi Valley Barley Nursery (MVBN) - Aberdeen, ID Table 3

Table 5			Kernel	on	Barley	Malt			Barley	Wort			Alpha-	Beta-					
			Weight	6/64"	Color	Extract	Wort	Wort	Protein	Protein	S/T	DP	amylase	glucan	FAN	Rel.	Turbidity	Quality	Overall
Lab No.	Variety or Selection	Rowed	(mg)	(%)	(Agtron)	(%)	Color	Clarity	(%)	(%)	(%)	(°ASBC)	(20°DU)	(ppm)	(ppm)	Visco	(Hach)	Score	Rank
5546	MOREX	6	31.4	75.9	63	78.8	1.8	1	13.0	5.48	45.4	165	68.0	166	208	1.46	6.0	60	9
5547	ROBUST	6	32.6	84.1	65	79.5	1.6	1	13.3	5.56	44.6	161	56.5	233	200	1.49	4.5	61	3
5548	LEGACY	6	30.0	75.5	69	79.4	1.9	1	13.0	5.98	48.1	172	85.4	203	224	1.47	3.6	51	21
5549	LACEY	6	33.3	91.1	78	81.0	1.6	1	12.4	5.59	49.0	150	70.1	130	203	1.48	3.6	61	3
5550	TRADITION	6	35.7	94.4	78	80.2	1.8	1	12.6	5.48	45.7	167	72.4	217	208	1.53	6.8	63	1
5551	PINNACLE	6	46.5	98.0	66	81.6	1.8	1	11.9	5.19	45.4	115	56.2	240	187	1.51	7.4	47	29
5552	2ND25276	6	42.0	97.4	58	81.4	2.0	1	11.5	5.33	47.3	115	71.7	260	188	1.50	9.4	46	30
5553	M145	6	32.3	82.8	59	79.7	1.8	1	11.7	5.74	49.7	151	62.7	157	219	1.45	4.2		15
5554	6Ab07-X020029-45	6	31.2	74.2	72	79.3	1.8	1	10.2	4.53	47.4	109	59.9	364	173	1.56	5.5		38
5555	M150	6	32.2	80.6	71	79.5	1.6	1	12.7	5.34	45.3	159	67.9	299	193	1.51	3.8	61	3
5556	6Ab07-X04M172-29	6	36.4	95.3	69	82.0	2.5	2	9.4	4.89	54.4	71	66.0	184	187	1.51	15.9	36	34
5557	04Ab034-62	6	37.1	97.3	76	80.9	1.9	1	11.4	5.17	47.0	134	66.8	392	196	1.61	11.4	44	31
5558	ND27245	6	34.7	95.0	75	80.5	1.6	1	12.3	5.41	47.6	150	63.2	158	190	1.50	5.4	56	17
5559	2ND27421	6	46.5	98.3	56	80.7	2.0	1	12.8	5.43	46.1	167	61.6	258	195	1.53	7.9		3
5560	2ND27440	6	44.7	97.9	66	81.3	1.7	1	13.0	5.23	42.9	99	58.7	225	185	1.49	8.2	51	21
5561	SR440	6	32.3	85.8	62	80.7	2.2	1	11.6	5.66	51.3	124	81.3	217	228	1.48	7.3		19
5562	M148	6	33.4	88.6	65	79.8	1.9	1	12.5	5.86	50.8	140	71.6	343	234	1.51	4.3	51	21
5563	M151	6	32.3	77.7	70	79.3	1.9	1	12.5	5.64	48.6	142	66.3	282	221	1.50	5.7	56	17
5564	M153	6	33.4	85.2	82	79.4	1.9	1	12.8	5.77	48.2	179	66.6	190	221	1.50	7.0		20
5565	M154	6	36.1	97.2	76	80.4	1.8	1	12.3	5.29	46.4	144	68.1	248	195	1.51	8.8	61	3
5566	ND26891	6	36.7	96.6	78	81.2	2.4	2	10.6	4.87	50.4	96	60.8	203	172	1.56	21.0		34
5567	ND27177	6	35.4	96.6	77	8.08	2.5	2	11.8	5.16	47.4	140	65.0	226	194	1.58	23.0	51	21
5568	ND28993	6	35.0	95.8	76	80.0	2.0	1	12.2	5.48	48.1	151	68.8	171	204	1.53	8.3	58	12
5570	2ND28065	6	39.2	90.9	64	80.0	1.6	1	12.8	5.23	42.6	112	56.6	207	183	1.47	6.1	51	21
5572	2ND28131	6	42.7	93.9	53	80.4	n.d.	2	12.1	5.19	44.5	110	65.7	286	192	1.48	37.0	49	28
5573	6B08-3210	6	34.8	88.9	72	80.1	1.9	1	12.6	5.60	47.2	146	66.8	266	206	1.52	9.9		12
5574	6B09-3531	6	34.8	93.1	70	80.3	2.1	1	12.0	5.90	51.0	134	81.5	227	242	1.54	6.8	51	21
5575	6B09-3580	6	36.9	93.6	75	79.9	1.8	1	11.4	5.07	46.5	131	70.3	257	202	1.52	6.0	51	21
5576	6B09-3655	6	37.4	96.0	72	79.2	2.0	1	12.0	5.26	45.7	140	65.1	185	203	1.51	6.6		9
5577	6B09-4021	6	36.7	98.2	73	78.8	1.8	1	13.3	5.42	44.1	140	62.5	187	205	1.50	6.2	60	9

Table 3

			Kernel	on	Barley	Malt			Barley	Wort			Alpha-	Beta-					
			Weight			Extract				Protein		DP	amylase	glucan	FAN	Rel.	Turbidity	-	
Lab No.	Variety or Selection	Rowed	(mg)	(%)	(Agtron)	(%)		Clarity	(%)	(%)	(%)	(°ASBC)	(20°DU)	(ppm)	(ppm)	Visco	(Hach)	Score	Rank
5578	6B09-4235	6	37.7	97.1	81	80.1	1.8	1	11.5	4.94	46.1	128	66.1	122	192	1.51	6.2	57	15
5579	SR446	6	41.4	96.6	76	82.5	1.6	1	11.8	5.42	50.1	133	87.8	88	207	1.50	4.6	62	2
5580	SR447	6	31.1	81.8	76	80.7	1.8	1	11.7	5.14	47.1	143	75.7	104	194	1.49	7.0	58	12
5581	SR448	6	35.9	91.7	79	81.0	1.8	1	12.2	5.63	49.7	178	85.0	122	231	1.50	5.9	61	3
5582	01Ab9663	6	39.8	94.1	70	82.7	2.1	1	10.3	5.04	52.6	125	70.4	320	198	1.56	8.5	44	31
5583	6Ab07-X031057-33	6	33.2	83.3	57	79.8	2.1	1	10.5	4.97	50.5	116	71.9	247	202	1.48	7.4	42	33
5584	6Ab07-X020049-13	6	32.8	68.5	63	78.4	2.0	1	10.1	4.29	44.8	107	56.9	348	163	1.54	10.1	31	38
5585	6Ab07-X020030-37	6	34.2	78.8	72	78.9	2.0	1	10.0	4.22	45.1	98	55.3	502	167	1.62	12.2	34	36
5586	6Ab07-X04M238-13	6	32.0	65.0	72	78.1	1.9	1	9.8	4.27	45.1	108	55.5	291	160	1.52	9.7	27	40
5587	6Ab07-X020047-9	6	33.6	91.6	78	79.4	n.d.	3	10.0	4.50	48.6	61	58.6	430	182	1.58	7.0	32	37
5569	HARRINGTON MALT CHECK		39.1	96.2	75	82.6	1.5	1	11.6	5.11	46.0	131	83.2	117	191	1.52	4.3	61	
5571	LACEY MALT CHECK		34.8	89.5	51	79.6	2.7	2	13.2	5.82	46.2	128	60.6	185	207	1.53	32.0	55	-
Minima			30.0	65.0	53	78.1	1.6		9.4	4.22	42.6	61	55.3	88	160	1.45	3.6		
Maxima			46.5	98.3	82	82.7	2.5		13.3	5.98	54.4	179	87.8	502	242	1.62	37.0		
Means			35.9	89.1	70	80.2	1.9		11.8	5.25	47.5	133	67.2	239	199	1.51	8.7		
Standard	Deviations		4.2	9.0	7	1.1	0.2		1.1	0.44	2.6	27	8.4	89	19	0.04	6.2		
Coefficien	ts of Variation		11.6	10.1	10	1.3	11.8		9.0	8.36	5.5	21	12.5	37	10	2.48	71.2		

Table Data Flagged by an Asterisk Exceed the Mean by +/- 3 Standard Deviations and are Excluded from Statistics For Wort Clarity - 1 = clear, 2 = slightly hazy, 3 = hazy; Wort Colors were not determined (n.d.) on hazy samples

Samples Submitted by Dr. Gongshe Hu, USDA-ARS, Aberdeen, ID

Neg Std Dev	23.4	62.2	48	77.0	1.2	8.6	3.94	39.6	51	42.0	-27	142	1.4	-9.84
Pos Std Dev	48.4	116.0	92	83.4	2.6	15.0	6.57	55.4	215	92.4	504	256	1.6	27.15

2012 Mississippi Valley Barley Nursery (MVBN) - Crookston, MN Table 4

Table 4			Kernel	on	Barley	Malt			Barley				Alpha-	Beta-					
			Weight							Protein		DP	amylase	J	FAN	Rel.	Turbidity	•	
Lab No.	Variety or Selection	Rowed	(mg)	(%)	(Agtron)	, ,		Clarity	_ ` /	(%)	(%)	(°ASBC)	(20°DU)	(ppm)	(ppm)	Visco	(Hach)	Score	Rank
5624	MOREX	6	32.4	87.7	42	77.8	1.8	1	15.0	6.42	44.5	244	92.3	61	244	1.44	4.6	47	20
5625	ROBUST	6	33.5	89.6	41	78.3	1.7	1	14.5	6.06	41.7	222	69.8	151	216	1.46	4.6	41	27
5626	LEGACY	6	33.4	91.1	47	78.6	1.8	1	13.6	6.14	46.3	223	87.0	193	230	1.47	3.7	48	18
5627	LACEY	6	35.7	92.9	44	79.8	1.8	1	13.4	5.77	45.0	196	76.9	101	215	1.46	5.9	66	4
5628	TRADITION	6	34.2	88.9	54	77.9	2.1	2	14.0	5.83	42.2	243	79.0	98	220	1.49	17.1	54	11
5629	2ND25276	2	40.1	91.5	43	79.6	1.9	1	12.9	5.42	43.8	130	82.8	213	190	1.49	5.1	57	9
5630	M145	6	35.0	93.1	40	79.2	1.9	1	13.3	6.19	46.5	192	67.8	141	242	1.46	6.4	59	6
5631	2ND26333	2	37.5	84.5	50	76.9	1.8	1	15.1	5.77	38.5	166	93.9	79	210	1.42	4.9	31	33
5632	M150	6	32.1	90.5	42	78.1	2.0	1	14.2	6.05	43.4	201	77.3	162	222	1.47	5.2	43	24
5633	ND23898	6	33.2	86.1	52	78.5	1.8	1	13.9	6.08	44.3	215	79.8	64	233	1.48	6.2	55	10
5634	ND25652	6	32.8	88.6	47	78.2	1.7	1	13.7	5.93	45.5	242	77.9	37	225	1.48	4.5	58	7
5635	ND27245	6	34.7	95.5	57	79.6	1.6	1	12.4	5.38	44.9	172	68.8	81	198	1.47	5.1	68	1
5636	2ND27421	2	*44.8	96.0	43	79.6	2.1	1	12.9	4.93	39.1	176	63.8	*467	171	*1.60	12.6	50	16
5637	2ND27440	2	40.8	93.2	55	79.9	2.4	2	12.7	4.96	39.8	100	60.2	325	167	1.51	23.0	41	27
5638	SR440	6	33.4	89.1	43	80.7	2.0	1	12.7	6.39	52.3	180	98.7	54	263	1.45	3.7	58	7
5639	M148	6	34.1	86.9	55	78.1	2.0	1	13.8	6.69	48.6	200	83.4	229	262	1.48	4.1	40	31
5640	M151	6	33.9	89.4	43	79.4	2.1	1	13.5	6.29	46.8	168	79.2	136	249	1.47	5.7	54	11
5641	M153	6	33.5	89.2	52	78.6	2.2	1	14.2	6.09	44.6	209	75.3	172	233	1.48	11.5	43	24
5642	M154	6	35.7	95.4	50	78.5	2.1	1	13.0	5.50	43.9	162	73.0	179	202	1.47	17.3	60	5
5643	ND26891	6	31.7	81.9	52	76.8	2.2	2	14.2	5.81	41.4	205	69.7	51	196	1.48	23.0	37	32
5644	ND27177	6	34.5	91.9	53	78.9	1.9	1	13.4	5.63	43.7	211	78.7	62	213	1.50	9.9	67	2
5645	ND28993	6	34.0	94.8	47	78.0	2.2	1	13.6	6.12	45.6	178	77.9	77	227	1.51	10.1	52	15
5646	2ND28065	2	39.0	90.9	50	80.3	1.4	1	11.8	4.83	41.1	98	59.0	251	179	1.50	3.5	45	21
5647	2ND28131	2	41.6	92.6	46	79.4	2.2	2	12.5	4.80	39.0	112	68.7	*393	174	1.53	23.0	42	26
5648	6B08-3210	6	36.3	93.8	57	80.6	1.9	1	11.3	5.36	48.5	143	72.2	190	205	1.50	8.1	53	13
5649	6B09-3531	6	33.5	92.6	45	78.3	2.1	1	13.8	6.87	50.0	203	96.8	53	281	1.49	5.1	50	16
5650	6B09-3580	6	34.2	87.4	45	76.9	1.8	1	14.3	5.62	41.3	200	84.0	109	220	1.47	5.0	45	21
5651	6B09-3655	6	36.9	95.6	45	76.3	1.7	1	15.0	5.91	41.3	221	80.2	58	215	1.48	4.5	41	27

			Kernel	on	Barley	Malt			Barley	Wort			Alpha-	Beta-					
			Weight	6/64"	Color	Extrac	Wort	Wort	Protein	Protein	S/T	DP	amylase	glucan	FAN	Rel.	Turbidity	Quality	Overall
Lab No.	Variety or Selection	Rowed	(mg)	(%)	(Agtron)	(%)	Color	Clarity	(%)	(%)	(%)	(°ASBC)	(20°DU)	(ppm)	(ppm)	Visco	(Hach)	Score	Rank
5652	6B09-4021	6	38.0	96.5	44	76.4	1.7	1	15.5	5.80	38.2	227	72.2	71	225	1.49	6.4	41	27
5654	6B09-4235	6	36.7	93.7	57	78.5	1.7	1	12.7	5.54	44.7	184	72.4	69	222	1.49	4.8	67	2
5656	SR446	6	33.2	91.2	47	79.3	2.2	1	14.3	6.91	50.2	182	80.0	122	267	1.47	3.6	44	23
5657	SR447	6	32.9	89.6	51	80.1	2.1	1	14.3	6.30	46.4	156	76.3	71	241	1.49	5.6	53	13
5658	SR448	6	36.3	90.9	44	79.4	2.6	1	14.5	7.21	51.3	209	86.2	64	291	1.48	5.7	48	18
5050	HARRINGTON MALT OUTOU	0	00.0	00.0	7.4	00.4		4	44.0	5.40	40.0	405	77 7	400	400	4 54	4.4	00	
5653	HARRINGTON MALT CHECK	2	39.3	96.6	74	82.1	1.4	1	11.2	5.12	46.9	135	77.7	160	196	1.54		60	
5655	LACEY MALT CHECK	6	33.8	89.4	53	79.8	n.d.	3	13.3	5.71	45.8	132	56.4	220	205	1.55	43.0	54	-
Minima			31.7	81.9	40	76.3	1.4		11.3	4.80	38.2	98	59.0	37	167	1.42	3.5		
Maxima			41.6	96.5	57	80.7	2.6		15.5	7.21	52.3	244	98.7	325	291	1.53	23.0		
Means			35.2	91.0	48	78.7	2.0		13.6	5.90	44.4	187	77.6	120	223	1.48	8.2		
Standard	Deviations		2.6	3.4	5	1.2	0.3		1.0	0.58	3.7	38	9.5	71	30	0.02	5.9		
o	ts of Variation		7.3	3.8	11	1.5	13.1		7.0	9.89	8.3	21	12.3	59	14	1.40	72.3		

Malt Check Data are Excluded from Rank Sorting and Statistics

Table Data Flagged by an Asterisk Exceed the Mean by +/- 3 Standard Deviations and are Excluded from Statistics

For Wort Clarity - 1 = clear, 2 = slightly hazy, 3 = hazy; Wort Colors were not determined (n.d.) on hazy samples

Samples Submitted by Dr. Kevin Smith, U. of MN

Neg Std Dev	27.5	80.7	33	75.2	1.2	10	8.0	4.15	33.3	71	49.0	-92	132	1.42	-9.5
Pos Std Dev	42.8	101.3	63	82.2	2.7	10	6.5	7.65	55.4	302	106.2	333	313	1.54	25.9

2012 MVBN - Fargo Table 5

Lab No. Selection Rowel (mpl. 76%) Color Extract Work Protein	Table 5			Kernel	on	Barley	Malt			Barley	Wort			Alpha-	Beta-					
5430 Morex 6 30.6 81.3 60 78.0 2.0 1 15.7 6.78 44.5 217 87.8 12.8 257 1.41 6.6 42 20 5431 Robust 6 31.4 82.6 54 78.5 1.8 1 14.5 6.81 47.1 204 70.6 232 243 1.43 4.4 37 30 5432 Lagary 6 30.7 80.3 61 78.8 2.2 1 14.9 7.31 15.1 210 100.7 208 278 1.42 5.3 37 30 5433 Lacey 6 31.8 82.6 55 78.7 1.9 1 14.5 6.67 45.9 197 82.9 133 238 1.40 6.8 45 10 5434 Tradition 6 29.9 78.9 60 77.8 2.0 1 14.1 5.50 45.7 45.9 197 82.9 133 238 1.40 6.8 45 10 5434 Tradition 6 29.9 78.9 60 77.8 2.0 1 14.1 5.50 43.2 228 82.9 140 213 1.43 1.47 41 20 5434 Tradition 6 29.9 78.9 60 77.8 20 1 14.1 5.50 45.8 228 82.9 140 213 1.43 1.47 41 20 5434 Tradition 6 29.9 78.9 80.0 18.8 1 12.3 5.68 45.5 104 81.8 371 197 1.48 5.3 54 3 5435 Pinnacle 2 37.4 86.8 47 79.3 1.8 1 12.3 5.68 45.5 104 81.8 371 197 1.48 5.3 54 3 5437 M145 6 32.4 86.6 133 78.3 1.8 1 14.9 6.83 45.8 201 73.6 219 253 1.41 4.9 43 16 5438 PND26333 2 36.8 90.6 47 78.4 1.7 1 14.4 6.13 4.4 6.13 4.12 122 122 1216 1.41 3.9 35 33 5439 M150 6 30.8 80.2 52 78.4 1.8 1 15.4 6.69 46.3 202 84.5 165 239 1.41 5.0 45 10 5442 ND25898 6 29.1 75.6 59 78.3 1.7 1 14.6 6.11 42.1 204 91.5 90 230 1.41 5.0 45 10 5442 ND25826 6 30.1 76.7 72 78.6 1.8 1 13.3 5.99 46.6 187 90.8 66 229 1.41 5.4 60 1 1 5444 ND27245 6 30.4 83.9 61 78.2 1.6 1 14.3 5.4 46.5 214 84.8 125 230 1.40 4.0 45 10 5442 ND27241 2 40.2 92.3 47 78.9 1.8 1 14.5 5.29 44.4 6.5 214 84.8 125 230 1.40 4.0 4.5 10 5445 2ND27410 2 38.6 90.2 46 78.3 1.7 1 14.5 5.29 31.4 116 91 445 176 1.49 3.2 1.40 4.0 4.5 10 5445 ND27245 6 30.4 83.9 61 78.2 1.6 1 14.3 5.4 6.6 40.9 195 76.7 372 197 1.47 4.8 42 20 5448 M148 6 33.3 86.8 54 79.7 2.3 1 14.7 7.29 51.6 180 79.0 286 329 1.41 5.0 4.0 4.6 47 9 5446 ND27240 2 38.6 90.2 46 78.3 1.7 1 14.5 5.29 31.4 116 91 445 176 1.49 30.3 1.42 4.1 43 16 544 ND27246 6 30.4 83.8 51 79.1 1.7 1 15.5 6.88 40.9 18.7 74.1 16.0 91 445 176 1.49 3.2 1.4 1.4 3.1 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1				Weight	6/64"	Color	Extract	Wort	Wort	-	Protein	S/T	DP	amylase	glucan	FAN	Rel.	Turbidity	Quality	/ Overall
64311 Robust 6 31.4 82.6 54 78.5 1.8 1 14.5 6.61 47.1 204 70.6 232 24.3 1.43 4.4 37 30 5432 Legary 6 31.8 82.6 55 78.7 1.9 1 14.5 6.7 45.9 197 208 278 1.42 5.3 37 30 5434 Tradition 6 29.9 78.9 60 77.8 2.0 1 14.1 5.90 43.3 228 82.9 140 213 1.43 14.7 41 23 5435 Pinnacle 2 37.4 86.8 47 79.3 1.8 1 13.2 5.18 41.4 118 69.4 36.4 17.7 1.4 14.5 6.8 201 73.6 219 253 1.41 4.9 43 18 4.4 1.4 118 69.2 36.4 30.4 3	Lab No.	Selection	Rowed	d (mg)	(%)	(Agtron)	(%)	Color	Clarity	(%)	(%)	(%)	(°ASBC)	(20°DU)	(ppm)	(ppm)	Visco	(Hach)	Score	Rank
Lagely 6 30,7 80,3 61 78,8 2,2 1 14,9 7,31 51,2 210 100,7 208 278 1,42 53,3 37 30 5433 Lacey 6 31,8 82,6 55 78,7 1,9 10 14,5 6,57 45,9 197 82,9 133 238 1,40 6,8 45 10 5434 Tradition 6 29,9 78,9 60 77,8 2,0 1 14,5 6,57 45,9 197 82,9 140 213 1,43 14,7 41 23 5435 Pinnacle 2 37,4 86,8 47 79,3 1,8 1 14,1 5,0 6,57 45,9 14,1 18 69,4 364 177 1,47 11,6 37 30 5436 2ND25276 2 38,9 93,5 49 80,0 1,8 1 12,3 5,56 45,5 104 81,8 371 197 1,48 5,3 5,3 5,4 3 16,4 3 18 1 14,9 6,8 3 45,8 201 73,6 219 253 1,41 4,9 43 16 5438 2ND26333 2 36,8 80,6 47 78,4 1,7 1 14,4 6,13 44,2 142 102,7 221 216 1,41 3,9 35 33 5439 M150 6 30,8 80,2 52 78,4 1,8 1 15,4 6,69 46,3 202 84,5 165 239 1,41 5,0 45 10 5440 ND23888 6 29,1 75,6 59 78,3 1,7 1 14,6 6,9 46,5 202 84,5 165 239 1,41 5,0 45 10 5442 ND27245 6 30,1 76,7 72 78,6 1,8 1 14,3 6,41 46,5 214 84,8 125 230 1,40 4,0 45 10 5442 ND27245 6 30,1 76,7 72 78,6 1,8 1 14,0 5,66 40,9 18,5 214 84,8 125 230 1,40 4,0 45 10 5444 ND27245 6 30,1 76,7 72 78,6 1,8 1 14,0 5,66 40,9 18,5 214 84,8 125 230 1,40 4,0 45 10 5444 ND27245 6 30,1 76,7 72 78,6 1,8 1 14,0 5,66 40,9 18,5 214 84,8 125 230 1,40 4,0 45 10 5445 2ND27440 2 36,6 90,2 90,3 46,7 78,9 1,8 1 14,0 5,66 40,9 18,5 79,7 1,7 1,47 4,8 42 20 54,6 18,7 90,1 1,4 1,4 1,4 1,4 1,4 1,4 1,4 1,4 1,4 1	5430	Morex	6	30.6	81.3	60	78.0	2.0	1	15.7	6.78	44.5	217	87.8	128	257	1.41	6.6	42	20
Lacey 6 31.8 82.6 55 78.7 1.9 1 14.5 6.57 45.9 197 82.9 133 238 1.40 6.8 45 10 5434 Tradition 6 29.9 78.9 60 77.8 2.0 1 14.1 5.90 43.3 228 82.9 140 213 1.43 14.7 41 23 5435 Pinnacle 2 37.4 86.8 47 79.3 1.8 1 13.2 5.18 41.4 18 69.4 364 177 1.47 11.6 37 30 5436 2ND25276 2 38.9 93.5 49 80.0 1.8 1 14.9 6.83 45.8 201 73.6 219 253 1.41 4.9 43 16 5438 2ND25333 2 36.8 90.6 47 78.4 1.7 1 14.4 6.13 44.2 142 102.7 221 216 1.41 3.9 39 5439 M150 6 30.8 80.2 52 78.4 1.8 1 15.4 6.69 4.8 2.0 1.7 3.6 219 253 1.41 5.0 45 10 5442 ND25652 6 30.4 83.9 61 78.2 1.6 1 14.3 5.99 46.8 187 90.8 66 229 1.41 5.0 45 10 5442 ND27451 2 40.2 92.3 47 78.9 1.8 1 14.3 5.99 46.8 187 90.8 66 229 1.41 5.4 60 1 5444 ND27245 6 30.4 83.9 61 78.2 1.6 1 14.3 5.4 6.4 46.5 214 84.8 125 230 1.40 4.0 45 10 5448 2ND27440 2 38.6 90.2 46 78.3 1.7 1 14.5 5.2 9 37.4 116 69.1 445 176 1.49 8.2 31 34 5449 M151 6 33.3 86.8 54 79.7 2.3 1 14.7 7.2 51.6 180 79.0 286 329 1.47 4.8 42 10 5448 M151 6 33.3 86.8 54 79.7 2.3 1 14.7 7.2 51.6 180 79.0 280 1.45 176 1.49 8.2 31 34 5449 M151 6 33.8 82.8 51 80.0 1.9 1 14.2 7.2 51.6 180 79.0 280 1.40 4.6 47 9 5448 M151 6 33.8 82.8 51 80.0 1.9 1 14.2 7.2 51.6 180 79.0 286 329 1.47 4.8 42 10 5449 M151 6 33.8 82.8 51 80.0 1.9 1 14.2 7.2 51.6 180 79.0 286 329 1.47 4.8 42 10 5449 M151 6 33.8 82.8 51 80.0 1.9 1 14.2 7.2 51.6 180 79.0 286 329 1.47 4.8 42 10 5449 M151 6 33.8 82.8 51 80.0 1.9 1 14.2 7.2 51.6 180 79.0 286 329 1.47 4.8 4.2 4.1 4.3 16 5450 M153 6 31.8 82.8 51 80.0 1.9 1 14.2 6.8 44.9 1.0 17.3 77.6 180 1.1 12 30.2 1.44 5.2 4.1 4.3 16 5450 M153 6 31.8 82.8 51 80.0 1.9 1 14.2 6.8 44.9 1.0 1.0 1.0 1.0 1.2 30.1 1.4 5.2 4.1 4.3 1.5 5450 M153 6 31.8 82.8 51 80.0 1.9 1 14.2 6.8 44.9 1.0 1.0 1.0 1.0 1.0 1.4 1.2 5.2 4.2 1.0 1.4 1.4 1.2 1.2 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4	5431	Robust	6	31.4	82.6	54	78.5	1.8	1	14.5	6.61	47.1	204	70.6	232	243	1.43	4.4	37	30
Fig. 1. Fractition	5432	Legacy	6	30.7	80.3	61	78.8	2.2	1	14.9	7.31	51.2	210	100.7	208	278	1.42	5.3	37	30
Pinnacle 2 37.4 86.8 47 79.3 1.8 1 13.2 5.18 41.4 118 69.4 364 177 1.47 11.6 37 30 5436 2ND25276 2 38.9 93.5 49 80.0 1.8 1 12.3 5.56 45.5 104 81.8 371 197 1.48 5.3 54 3 5437 M145 6 32.4 86.6 133 78.3 1.8 1 14.9 6.83 45.8 201 73.6 219 253 1.41 4.9 43 16 5438 2ND26333 2 36.8 90.6 47 78.4 17.7 1 14.4 6.63 44.2 102.7 221 216 1.41 3.9 35 33 5439 M150 6 30.8 80.2 52 78.4 1.8 1 14.9 6.83 46.3 202 84.5 165 239 1.41 5.0 45 10 5440 ND23898 6 29.1 75.6 59 78.3 1.7 1 14.6 6.11 42.1 204 91.5 90 230 1.42 5.9 45 10 5442 ND25652 6 30.1 76.7 172 78.6 1.8 1 13.3 5.99 46.6 187 90.8 66 229 1.41 5.4 60 1 5444 ND27245 6 30.4 83.9 61 78.2 16. 1 14.3 6.44 46.5 214 84.8 125 230 1.40 4.0 45 10 5445 2ND27421 2 40.2 92.3 47 78.9 1.8 1 14.0 5.66 40.9 195 76.7 372 197 1.47 4.8 42 20 5446 2ND27440 2 38.6 90.2 46 78.3 1.7 1 14.5 5.29 37.4 116 69.1 445 176 1.49 8.2 31 34 5447 SR440 6 30.3 71.7 55 79.5 2.0 1 13.6 6.75 51.5 196 95.6 79 262 1.40 4.6 47 9 5448 M148 6 33.3 86.8 54 79.7 2.3 1 14.7 7.29 51.6 180 79.0 286 329 1.41 5.2 20 1.4 2.5 40.2 91.5 449 M151 6 31.8 82.8 51 80.0 1.9 1 14.2 5.7 16.6 6.8 46.7 180 79.0 286 329 1.47 4.5 41 23 5449 M151 6 31.8 82.8 51 80.0 1.9 1 14.2 5.6 6.8 40.9 195 76.7 372 197 1.47 4.5 41 23 5449 M151 6 31.8 82.8 51 80.0 1.9 1 14.2 5.7 16.9 80.1 140 303 1.42 4.1 43 16 5450 M153 6 31.8 82.8 51 80.0 1.9 1 14.2 5.7 49.2 169 80.1 140 303 1.42 4.1 43 16 5450 M153 6 31.8 82.8 51 80.0 1.9 1 14.2 6.74 49.2 169 80.1 140 303 1.42 4.1 43 16 5450 M153 6 31.8 82.8 51 80.0 1.9 1 14.2 6.74 49.2 169 80.1 140 303 1.42 4.1 43 16 5450 M153 6 31.8 82.8 51 80.0 1.9 1 14.2 6.74 49.2 169 80.1 140 303 1.42 4.1 43 1.6 5451 M154 6 32.6 89.8 51 79.1 1.7 1 15.6 6.8 40.9 173 77.6 100 262 1.46 6.1 53 4 5456 ND27177 6 31.2 84.3 59 79.4 1.8 1 14.4 6.5 40.9 173 77.6 100 262 1.46 6.1 53 4 5456 ND27177 6 31.2 84.3 59 79.4 1.8 1 14.4 6.5 40.9 13 77.7 244 227 1.46 6.1 53 4 5456 ND2803 6 31.3 87.6 52 78.8 2.1 1 1 14.2 6.58 46.9 183 77.4 125 279 1.46 6.1 53 4 4 5459 6809-3565 6 33.1 87.7 56 77.5 50 77.5 2.0 1 15.0 6.08 43.4 40.9 13 81.7 58 660 1.44 4.0	5433	Lacey	6	31.8	82.6	55	78.7	1.9	1	14.5	6.57	45.9	197	82.9	133	238	1.40	6.8	45	10
5436 2ND25276 2 38.9 93.5 49 80.0 1.8 1 12.3 5.56 45.5 104 81.8 371 197 1.48 5.3 54 3 5437 M145 6 32.4 86.6 33 78.3 1.8 1 14.9 6.83 45.8 201 73.6 219 253 1.41 4.9 43 165 5438 2ND2633 2 36.8 90.6 47 78.4 1.7 1 14.4 6.6 41.3 44.2 142 102.7 221 216 1.41 4.9 43 165 5439 M150 6 30.8 80.2 52 78.4 1.8 1 15.4 6.69 46.3 202 84.5 165 239 1.41 5.0 45 10 5442 ND25652 6 30.1 76.7 72 78.6 1.8 1 13.3 5.99 46.6 187 90.8 66 229 1.41 5.4 60 1 5444 ND27245 6 30.4 83.9 61 78.2 1.6 1 14.3 6.44 46.5 214 84.8 125 230 1.40 4.0 45 10 5444 ND27245 6 30.4 83.9 61 78.2 1.6 1 14.3 6.44 40.5 214 84.8 125 230 1.40 4.0 45 10 5446 2ND27440 2 38.6 90.2 46 78.3 1.7 1 14.5 5.2 37.4 116 69.1 445 176 1.49 8.2 31 34 5448 M148 6 33.3 86.8 54 79.7 2.3 1.7 1 14.5 5.2 37.4 116 69.1 445 176 1.49 8.2 31 34 5449 M151 6 33.8 82.8 51 80.0 1.9 1 14.7 7.29 51.6 189 80.1 120 30 1.42 3.5 49 7549 M153 6 31.8 82.8 52 78.2 1.0 1.5 549 80.1 14.2 6.74 49.2 169 80.1 140 30.3 1.5 280 1.47 4.5 41 23 5449 M151 6 32.8 82.8 51 80.0 1.9 1 14.7 7.29 51.6 189 80.1 120 30 1.42 3.5 49 7549 M153 6 31.8 82.8 52 78.2 2.0 1 15.6 6.88 46.0 229 80.1 121 302 1.41 5.2 42 20 5451 M154 6 32.6 89.8 51 79.1 1.7 1 15.1 6.66 44.7 180 80.3 155 280 1.42 3.5 49 7 7 5452 ND2893 6 31.8 82.8 52 79.7 1.8 1 14.3 6.54 6.9 173 77.6 100 262 1.46 6.1 53 42 5454 ND2893 6 31.8 82.8 52 78.2 2.0 1 15.6 6.88 46.0 229 80.1 121 302 1.41 5.2 42 20 5451 M154 6 32.6 89.8 51 79.1 1.7 1 15.1 6.66 44.7 180 80.3 155 280 1.42 3.5 49 7 7 5452 ND2893 6 31.8 82.8 52 78.2 2.0 1 15.6 6.88 46.9 184 77.4 125 279 1.45 4.3 52 42 20 5454 ND2893 6 31.8 82.8 52 78.2 2.0 1 15.6 6.88 46.9 184 77.4 125 279 1.45 4.2 3.5 49 7 7 5454 ND2893 6 31.8 82.8 52 78.2 2.0 1 15.5 6.88 40.9 184 77.4 125 279 1.45 4.2 3.5 49 7 7 5454 ND2893 6 31.8 82.8 52 78.2 2.0 1 15.5 6.88 40.9 184 77.4 125 279 1.45 4.2 3.5 49 7 7 5454 ND2893 6 31.8 82.8 52 78.2 2.0 1 15.5 6.88 40.9 184 77.4 125 279 1.45 4.2 52 545 5456 2ND2805 2 37.2 91.2 50 80.6 1.4 1 13.9 5.89 40.9 140 123 79.7 244 227 1.46 4.2 57 2545 6450 6809-3655 6 33.1 87.7 56 77.5 2.0 1 1 13.6 6.25 47.	5434	Tradition	6	29.9	78.9	60	77.8	2.0	1	14.1	5.90	43.3	228	82.9	140	213	1.43	14.7	41	23
5437 M145 6 32.4 86.6 "33 78.3 1.8 1 14.9 6.83 45.8 201 73.6 219 253 1.41 4.9 43 16 5438 2ND26333 2 36.8 90.6 47 78.4 1.7 1 14.4 6.13 44.2 102.7 221 216 1.41 3.9 35 33 5439 M150 6 30.8 80.2 52 78.4 1.8 1 15.4 6.69 46.3 202 84.5 165 239 1.41 5.0 45 10 5440 ND23898 6 29.1 75.6 59 78.3 1.7 1 14.6 6.11 42.1 204 91.5 90 230 1.41 5.0 45 10 5440 ND27245 6 30.4 83.9 61 78.2 1.6 1 14.3 5.49 186 12.5	5435	Pinnacle	2	37.4	86.8	47	79.3	1.8	1	13.2	5.18	41.4	118	69.4	364	177	1.47	11.6	37	30
5438 2ND26333 2 36.8 90.6 47 78.4 1.7 1 14.4 6.13 44.2 142 102.7 221 216 1.41 3.9 35 33 35 439 M150 6 30.8 80.2 52 78.4 1.8 1 15.4 6.69 46.3 202 84.5 165 239 1.41 5.0 45 10 5440 ND23898 6 29.1 75.6 59 78.3 1.7 1 14.6 6.11 42.1 204 91.5 90 230 1.42 5.9 45 10 5442 ND25652 6 30.1 76.7 72 78.6 1.8 1 13.3 5.99 46.6 187 90.8 66 229 1.41 5.4 60 1 5444 ND27245 6 30.4 83.9 61 78.2 16.6 1 143.0 5.6 64.4 46.5 214 84.8 125 230 1.40 4.0 45 10 5445 2ND27440 2 38.6 90.2 46 78.3 1.7 1 14.5 5.29 37.4 116 69.1 445 176 1.49 8.2 31 34 5447 SR440 6 30.3 71.7 55 79.5 2.0 1 13.6 6.75 51.5 196 95.6 79 262 1.40 4.6 47 9 5448 M148 6 33.3 86.8 54 79.7 2.3 1 14.7 7.29 51.6 180 79.0 286 329 1.47 4.5 41 23 5450 M153 6 31.8 82.8 51 80.0 19 1 14.7 7.29 51.6 180 79.0 286 329 1.47 4.5 41 23 5450 M153 6 31.8 82.8 51 79.1 1.7 1 15.1 6.66 44.7 180 80.3 155 280 1.42 3.5 49 7 5452 ND27451 6 31.2 84.3 59 79.4 1.8 1 14.4 6.45 47.0 245 83.3 85 279 1.45 4.3 52 42 20 5456 ND27477 6 31.2 84.3 59 79.4 1.8 1 14.3 6.51 46.9 173 77.6 100 262 1.46 6.1 53 4 5453 ND27177 6 31.2 84.3 59 79.4 1.8 1 14.4 6.45 47.0 245 83.3 85 279 1.45 4.3 52 45 5456 ND27477 6 31.2 84.3 59 79.4 1.8 1 14.4 6.45 47.0 245 83.3 85 279 1.45 4.3 52 6 5455 ND28065 2 37.2 91.2 50 80.6 1.4 1 13.9 5.68 41.9 134 69.8 179 226 1.43 2.6 41 23 5456 2ND28065 2 37.2 91.2 50 80.6 1.4 1 13.9 5.68 41.9 134 69.8 179 226 1.43 2.6 41 23 5456 2ND28065 2 37.2 91.2 50 80.6 1.4 1 13.9 5.68 41.9 134 69.8 179 226 1.43 2.6 41 23 5456 2ND28055 6 33.1 87.6 52 78.8 2.1 1 14.4 6.55 47.0 245 83.3 85 279 1.46 5.2 42 5645 2ND28065 6 31.3 87.6 52 78.8 2.1 1 14.4 6.55 47.0 245 83.3 85 279 1.46 5.2 42 5645 2ND28055 6 33.1 87.7 56 77.7 2.0 1 15.0 6.08 42.8 193 81.7 58 266 1.41 4.0 55 43 660 6809-3855 6 33.1 87.7 56 77.5 2.0 1 15.0 6.08 42.8 193 81.7 58 266 1.41 4.0 55 43 660 6809-3855 6 33.1 87.7 56 77.5 2.0 1 15.0 6.08 42.8 193 81.7 58 266 1.41 6.5 43 660 6809-3855 6 6 33.1 87.7 56 77.5 2.0 1 15.0 6.08 42.8 193 81.7 58 266 1.41 6.5 40 65 43 660 6809-3855 6 6 33.1 87.7 56 77.5 2.0 1 15.0 6.08 42.8 193 81.7 58 266 1.41 6.5	5436	2ND25276	2	38.9	93.5	49	80.0	1.8	1	12.3	5.56	45.5	104	81.8	371	197	1.48	5.3	54	3
5439 M150 6 30.8 80.2 52 78.4 1.8 1 15.4 6.69 46.3 202 84.5 165 239 1.41 5.0 45 10 5440 ND23698 6 29.1 75.6 59 76.3 1.7 1 14.6 6.11 42.1 204 91.5 90 230 1.42 5.9 45 10 5442 ND25652 6 30.1 76.7 72 78.6 1.8 1 13.3 5.99 46.6 187 90.8 66 229 1.41 5.4 60 1 5445 2ND27421 2 40.2 92.3 47 78.9 1.8 1 14.0 5.66 40.9 195 76.7 372 197 1.47 4.8 42 20 5446 2ND27421 2 40.2 46 78.3 1.7 1 14.5 52.9 37.4 116	5437	M145	6	32.4	86.6	*33	78.3	1.8	1	14.9	6.83	45.8	201	73.6	219	253	1.41	4.9	43	16
5440 ND23898 6 29.1 75.6 59 78.3 1.7 1 14.6 6.11 42.1 204 91.5 90 230 1.42 5.9 45 10 5442 ND25652 6 30.1 76.7 *72 78.6 1.8 1 13.3 5.9 46.6 187 90.8 66 229 1.41 5.4 60 1 5444 ND27245 6 30.4 83.9 61 78.2 1.6 1 14.3 6.44 46.5 214 84.8 125 230 1.40 4.0 45 10 5445 2ND27421 2 40.2 92.3 47 78.9 1.8 1 14.0 5.66 40.9 195 76.7 372 197 1.47 4.8 42 20 5446 2ND27440 2 38.6 90.2 46 78.3 1.7 1 14.5 5.29 37.4 116 69.1 445 176 1.49 8.2 31 34 544	5438	2ND26333	2	36.8	90.6	47	78.4	1.7	1	14.4	6.13	44.2	142	102.7	221	216	1.41	3.9	35	33
5442 ND25652 6 30.1 76.7 *72 78.6 1.8 1 13.3 5.99 46.6 187 90.8 66 229 1.41 5.4 60 1 5444 ND27245 6 30.4 83.9 61 78.2 1.6 1 14.3 6.44 46.5 214 84.8 125 230 1.40 4.0 45 10 5445 2ND27440 2 38.6 90.2 46 78.3 1.7 1 14.5 5.29 37.4 116 69.1 445 176 1.49 8.2 31 34 5447 SR440 6 30.3 71.7 55 79.5 2.0 1 13.6 6.75 51.5 196 95.6 79 262 1.40 4.6 47 9 5448 M148 6 31.8 82.8 51 80.0 1.9 1 14.2 169 95.6	5439	M150	6	30.8	80.2	52	78.4	1.8	1	15.4	6.69	46.3	202	84.5	165	239	1.41	5.0	45	10
5444 ND27245 6 30.4 83.9 61 78.2 1.6 1 14.3 6.44 46.5 214 84.8 125 230 1.40 4.0 45 10 5445 2ND27421 2 40.2 92.3 47 78.9 1.8 1 14.0 5.66 40.9 195 76.7 372 197 1.47 4.8 42 20 5446 2ND27440 2 38.6 90.2 46 78.3 1.7 1 14.5 5.29 37.4 116 69.1 445 176 1.49 8.2 31 34 5447 SR440 6 30.3 71.7 55 79.5 2.0 1 13.6 6.75 51.5 196 95.6 79 262 1.40 4.6 47 9 5448 M148 6 30.3 86.8 54 79.7 2.3 1 14.7 7.29 51.6	5440	ND23898	6	29.1	75.6	59	78.3	1.7	1	14.6	6.11	42.1	204	91.5	90	230	1.42	5.9	45	10
5445 2ND27421 2 40.2 92.3 47 78.9 1.8 1 14.0 5.66 40.9 195 76.7 372 197 1.47 4.8 42 20 5446 2ND27440 2 38.6 90.2 46 78.3 1.7 1 14.5 5.29 37.4 116 69.1 445 176 1.49 8.2 31 34 5447 SR440 6 30.3 71.7 55 79.5 2.0 1 13.6 6.75 51.5 196 95.6 79 262 1.40 4.6 47 9 5448 M148 6 33.3 86.8 54 79.7 2.3 1 14.7 7.29 51.6 180 79.0 286 329 1.47 4.5 41 23 5449 M153 6 31.8 82.8 51 80.0 1.9 1 14.2 6.74 49.2	5442	ND25652	6	30.1	76.7	*72	78.6	1.8	1	13.3	5.99	46.6	187	90.8	66	229	1.41	5.4	60	1
5446 2ND27440 2 38.6 90.2 46 78.3 1.7 1 14.5 5.29 37.4 116 69.1 445 176 1.49 8.2 31 34 5447 SR440 6 30.3 71.7 55 79.5 2.0 1 13.6 6.75 51.5 196 95.6 79 262 1.40 4.6 47 9 5448 M148 6 33.3 86.8 54 79.7 2.3 1 14.7 7.29 51.6 180 79.0 286 329 1.47 4.5 41 23 5449 M151 6 31.8 82.8 51 80.0 1.9 1 14.2 6.74 49.2 169 80.1 140 303 1.42 4.1 43 16 5450 M153 6 31.8 82.8 62 78.2 2.0 1 15.6 6.88 46.0 229 80.1 121 302 1.41 5.2 42 20 54	5444	ND27245	6	30.4	83.9	61	78.2	1.6	1	14.3	6.44	46.5	214	84.8	125	230	1.40	4.0	45	10
SR440 6 30.3 71.7 55 79.5 2.0 1 13.6 6.75 51.5 196 95.6 79 262 1.40 4.6 47 9 5448 M148 6 33.3 86.8 54 79.7 2.3 1 14.7 7.29 51.6 180 79.0 286 329 1.47 4.5 41 23 5449 M151 6 31.8 82.8 51 80.0 1.9 1 14.2 6.74 49.2 169 80.1 140 303 1.42 4.1 43 16 5450 M153 6 31.8 82.8 62 78.2 2.0 1 15.6 6.88 40.0 229 80.1 121 302 1.41 5.2 42 20 5451 M154 6 32.6 89.8 51 79.1 1.7 1 15.1 6.66 44.7 180 80.3 155 280 1.42 3.5 49 7 5452 ND28091 6 31.2 84.3 59 79.4 1.8 1 14.4 6.45 47.0 245 83.3 85 279 1.45 4.3 52 6 5454 ND28993 6 31.3 87.6 52 78.8 2.1 1 14.4 6.45 47.0 245 83.3 85 279 1.45 4.3 52 6 5455 2ND28065 2 37.2 91.2 50 80.6 1.4 1 13.9 5.68 41.9 134 69.8 179 226 1.43 2.6 41 23 5456 2ND28131 2 41.4 93.0 51 81.2 1.7 1 13.4 5.49 41.0 123 79.7 244 227 1.46 4.2 57 2 5458 6809-3531 6 30.3 82.2 52 78.6 *2.5 1 15.0 7.41 50.8 42.8 193 81.7 58 266 1.41 4.0 53 4 5459 6809-3580 6 31.5 77.7 56 77.5 2.0 1 15.0 6.88 42.8 193 81.7 58 266 1.41 4.6 40 29 5460 6809-3655 6 33.1 87.7 56 77.0 2.0 1 14.8 6.39 43.4 212 80.6 60 245 1.44 6.5 44.0 29 5460 6809-3655 6 33.1 87.7 56 77.0 2.0 1 14.8 6.39 43.4 212 80.6 60 245 1.44 6.5 44.0 29 5460 6809-3655 6 33.1 87.7 56 77.0 2.0 1 14.8 6.39 43.4 212 80.6 60 245 1.44 6.5 44.0 29 5460	5445	2ND27421	2	40.2	92.3	47	78.9	1.8	1	14.0	5.66	40.9	195	76.7	372	197	1.47	4.8	42	20
5448 M148 6 33.3 86.8 54 79.7 2.3 1 14.7 7.29 51.6 180 79.0 286 329 1.47 4.5 41 23 5449 M151 6 31.8 82.8 51 80.0 1.9 1 14.2 6.74 49.2 169 80.1 140 303 1.42 4.1 43 16 5450 M153 6 31.8 82.8 62 78.2 2.0 1 15.6 6.88 46.0 229 80.1 121 302 1.41 5.2 42 20 5451 M154 6 32.6 89.8 51 79.1 1.7 1 15.1 6.66 44.7 180 80.3 155 280 1.42 3.5 49 7 5452 ND26891 6 33.5 88.3 55 79.7 1.8 1 14.3 6.51 46.9 <t< td=""><td>5446</td><td>2ND27440</td><td>2</td><td>38.6</td><td>90.2</td><td>46</td><td>78.3</td><td>1.7</td><td>1</td><td>14.5</td><td>5.29</td><td>37.4</td><td>116</td><td>69.1</td><td>445</td><td>176</td><td>1.49</td><td>8.2</td><td>31</td><td>34</td></t<>	5446	2ND27440	2	38.6	90.2	46	78.3	1.7	1	14.5	5.29	37.4	116	69.1	445	176	1.49	8.2	31	34
5449 M151 6 31.8 82.8 51 80.0 1.9 1 14.2 6.74 49.2 169 80.1 140 303 1.42 4.1 43 16 5450 M153 6 31.8 82.8 62 78.2 2.0 1 15.6 6.88 46.0 229 80.1 121 302 1.41 5.2 42 20 5451 M154 6 32.6 89.8 51 79.1 1.7 1 15.1 6.66 44.7 180 80.3 155 280 1.42 3.5 49 7 5452 ND26891 6 33.5 88.3 55 79.7 1.8 1 14.3 6.51 46.9 173 77.6 100 262 1.46 6.1 53 4 5452 ND28093 6 31.3 87.6 52 78.8 2.1 1 14.2 6.58 46.9	5447	SR440	6	30.3	71.7	55	79.5	2.0	1	13.6	6.75	51.5	196	95.6	79	262	1.40	4.6	47	9
5450 M153 6 31.8 82.8 62 78.2 2.0 1 15.6 6.88 46.0 229 80.1 121 302 1.41 5.2 42 20 5451 M154 6 32.6 89.8 51 79.1 1.7 1 15.1 6.66 44.7 180 80.3 155 280 1.42 3.5 49 7 5452 ND26891 6 33.5 88.3 55 79.7 1.8 1 14.3 6.51 46.9 173 77.6 100 262 1.46 6.1 53 4 5453 ND27177 6 31.2 84.3 59 79.4 1.8 1 14.4 6.45 47.0 245 83.3 85 279 1.45 4.3 52 6 6 54.5 47.0 245 83.3 85 279 1.46 5.8 45 10 54.5 49.9 <t< td=""><td>5448</td><td>M148</td><td>6</td><td>33.3</td><td>86.8</td><td>54</td><td>79.7</td><td>2.3</td><td>1</td><td>14.7</td><td>7.29</td><td>51.6</td><td>180</td><td>79.0</td><td>286</td><td>329</td><td>1.47</td><td>4.5</td><td>41</td><td>23</td></t<>	5448	M148	6	33.3	86.8	54	79.7	2.3	1	14.7	7.29	51.6	180	79.0	286	329	1.47	4.5	41	23
5451 M154 6 32.6 89.8 51 79.1 1.7 1 15.1 6.66 44.7 180 80.3 155 280 1.42 3.5 49 7 5452 ND26891 6 33.5 88.3 55 79.7 1.8 1 14.3 6.51 46.9 173 77.6 100 262 1.46 6.1 53 4 5453 ND27177 6 31.2 84.3 59 79.4 1.8 1 14.4 6.45 47.0 245 83.3 85 279 1.45 4.3 52 6 5454 ND28993 6 31.3 87.6 52 78.8 2.1 1 14.2 6.58 46.9 184 77.4 125 279 1.46 5.8 45 10 5455 2ND28065 2 37.2 91.2 50 80.6 1.4 1 13.9 5.68 41.9	5449	M151	6	31.8	82.8	51	80.0	1.9	1	14.2	6.74	49.2	169	80.1	140	303	1.42	4.1	43	16
5452 ND26891 6 33.5 88.3 55 79.7 1.8 1 14.3 6.51 46.9 173 77.6 100 262 1.46 6.1 53 4 5453 ND27177 6 31.2 84.3 59 79.4 1.8 1 14.4 6.45 47.0 245 83.3 85 279 1.45 4.3 52 6 5454 ND28993 6 31.3 87.6 52 78.8 2.1 1 14.2 6.58 46.9 184 77.4 125 279 1.46 5.8 45 10 5455 2ND28065 2 37.2 91.2 50 80.6 1.4 1 13.9 5.68 41.9 134 69.8 179 226 1.43 2.6 41 23 5456 2ND28131 2 41.4 93.0 51 81.2 1.7 1 13.4 5.49 41.0 123 79.7 244 227 1.46 4.2 57 2 5457 6B08-3210 6 31.3 81.3 57 79.7 1.7 1 13.5 6.25 47.6 183 72.1 168 260 1.44 4.0 53 4 5458 6B09-3531 6 30.3 82.2 52 78.6 *2.5 1 15.0 7.41 50.8 187 94.6 97 345 1.43 5.2 44 15 5459 6B09-3580 6 31.5 77.7 56 77.5 2.0 1 15.0 6.08 42.8 193 81.7 58 266 1.41 4.6 40 29 5460 6B09-3655 6 33.1 87.7 56 77.0 2.0 1 14.8 6.39 43.4 212 80.6 60 245 1.44 6.5 43 16	5450	M153	6	31.8	82.8	62	78.2	2.0	1	15.6	6.88	46.0	229	80.1	121	302	1.41	5.2	42	20
5453 ND27177 6 31.2 84.3 59 79.4 1.8 1 14.4 6.45 47.0 245 83.3 85 279 1.45 4.3 52 6 5454 ND28993 6 31.3 87.6 52 78.8 2.1 1 14.2 6.58 46.9 184 77.4 125 279 1.46 5.8 45 10 5455 2ND28065 2 37.2 91.2 50 80.6 1.4 1 13.9 5.68 41.9 134 69.8 179 226 1.43 2.6 41 23 5456 2ND28131 2 41.4 93.0 51 81.2 1.7 1 13.4 5.49 41.0 123 79.7 244 227 1.46 4.2 57 2 5457 6B08-3210 6 31.3 81.3 57 79.7 1.7 1 13.5 6.25 47.6 183 72.1 168 260 1.44 4.0 53 4	5451	M154	6	32.6	89.8	51	79.1	1.7	1	15.1	6.66	44.7	180	80.3	155	280	1.42	3.5	49	7
5454 ND28993 6 31.3 87.6 52 78.8 2.1 1 14.2 6.58 46.9 184 77.4 125 279 1.46 5.8 45 10 5455 2ND28065 2 37.2 91.2 50 80.6 1.4 1 13.9 5.68 41.9 134 69.8 179 226 1.43 2.6 41 23 5456 2ND28131 2 41.4 93.0 51 81.2 1.7 1 13.4 5.49 41.0 123 79.7 244 227 1.46 4.2 57 2 5457 6B08-3210 6 31.3 81.3 57 79.7 1.7 1 13.5 6.25 47.6 183 72.1 168 260 1.44 4.0 53 4 5458 6B09-3531 6 30.3 82.2 52 78.6 *2.5 1 15.0 7.41 50.8 187 94.6 97 345 1.43 5.2 44 15 <	5452	ND26891	6	33.5	88.3	55	79.7	1.8	1	14.3	6.51	46.9	173	77.6	100	262	1.46	6.1	53	4
5455 2ND28065 2 37.2 91.2 50 80.6 1.4 1 13.9 5.68 41.9 134 69.8 179 226 1.43 2.6 41 23 5456 2ND28131 2 41.4 93.0 51 81.2 1.7 1 13.4 5.49 41.0 123 79.7 244 227 1.46 4.2 57 2 5457 6B08-3210 6 31.3 81.3 57 79.7 1.7 1 13.5 6.25 47.6 183 72.1 168 260 1.44 4.0 53 4 5458 6B09-3531 6 30.3 82.2 52 78.6 *2.5 1 15.0 7.41 50.8 187 94.6 97 345 1.43 5.2 44 15 5459 6B09-3580 6 31.5 77.7 56 77.5 2.0 1 15.0 6.08 42.8 193 81.7 58 266 1.41 4.6 40 29 5460 6B09-3655 6 33.1 87.7 56 77.0 2.0 1 14.8 6.39 43.4 212 80.6 60 245 1.44 6.5 43 16	5453	ND27177	6	31.2	84.3	59	79.4	1.8	1	14.4	6.45	47.0	245	83.3	85	279	1.45	4.3	52	6
5456 2ND28131 2 41.4 93.0 51 81.2 1.7 1 13.4 5.49 41.0 123 79.7 244 227 1.46 4.2 57 2 5457 6B08-3210 6 31.3 81.3 57 79.7 1.7 1 13.5 6.25 47.6 183 72.1 168 260 1.44 4.0 53 4 5458 6B09-3531 6 30.3 82.2 52 78.6 *2.5 1 15.0 7.41 50.8 187 94.6 97 345 1.43 5.2 44 15 5459 6B09-3580 6 31.5 77.7 56 77.5 2.0 1 15.0 6.08 42.8 193 81.7 58 266 1.41 4.6 40 29 5460 6B09-3655 6 33.1 87.7 56 77.0 2.0 1 14.8 6.39 43.4 212 80.6 60 245 1.44 6.5 43 16	5454	ND28993	6	31.3	87.6	52	78.8	2.1	1	14.2	6.58	46.9	184	77.4	125	279	1.46	5.8	45	10
5457 6B08-3210 6 31.3 81.3 57 79.7 1.7 1 13.5 6.25 47.6 183 72.1 168 260 1.44 4.0 53 4 5458 6B09-3531 6 30.3 82.2 52 78.6 *2.5 1 15.0 7.41 50.8 187 94.6 97 345 1.43 5.2 44 15 5459 6B09-3580 6 31.5 77.7 56 77.5 2.0 1 15.0 6.08 42.8 193 81.7 58 266 1.41 4.6 40 29 5460 6B09-3655 6 33.1 87.7 56 77.0 2.0 1 14.8 6.39 43.4 212 80.6 60 245 1.44 6.5 43 16	5455	2ND28065	2	37.2	91.2	50	80.6	1.4	1	13.9	5.68	41.9	134	69.8	179	226	1.43	2.6	41	23
5458 6B09-3531 6 30.3 82.2 52 78.6 *2.5 1 15.0 7.41 50.8 187 94.6 97 345 1.43 5.2 44 15 5459 6B09-3580 6 31.5 77.7 56 77.5 2.0 1 15.0 6.08 42.8 193 81.7 58 266 1.41 4.6 40 29 5460 6B09-3655 6 33.1 87.7 56 77.0 2.0 1 14.8 6.39 43.4 212 80.6 60 245 1.44 6.5 43 16	5456	2ND28131	2	41.4	93.0	51	81.2	1.7	1	13.4	5.49	41.0	123	79.7	244	227	1.46	4.2	57	2
5459 6B09-3580 6 31.5 77.7 56 77.5 2.0 1 15.0 6.08 42.8 193 81.7 58 266 1.41 4.6 40 29 5460 6B09-3655 6 33.1 87.7 56 77.0 2.0 1 14.8 6.39 43.4 212 80.6 60 245 1.44 6.5 43 16	5457	6B08-3210	6	31.3	81.3	57	79.7		1	13.5	6.25	47.6	183	72.1	168	260			53	4
5460 6B09-3655 6 33.1 87.7 56 77.0 2.0 1 14.8 6.39 43.4 212 80.6 60 245 1.44 6.5 43 16	5458	6B09-3531	6	30.3	82.2	52	78.6	*2.5	1	15.0	7.41	50.8	187	94.6	97	345	1.43	5.2	44	15
	5459	6B09-3580	6	31.5	77.7	56	77.5	2.0	1	15.0	6.08	42.8	193	81.7	58	266	1.41	4.6	40	29
5461 6B09-4021 6 34.1 90.9 51 76.1 2.0 1 16.0 6.66 43.0 220 83.4 60 260 1.44 7 .5 43 16	5460	6B09-3655	6	33.1	87.7	56	77.0	2.0	1	14.8	6.39	43.4	212	80.6	60	245	1.44	6.5	43	16
	5461	6B09-4021	6	34.1	90.9	51	76.1	2.0	1	16.0	6.66	43.0	220	83.4	60	260	1.44	7.5	43	16

Table 5

Table 6			1/ 1		Darlan	N / - I+			Darlan	11/			A lasta a	Data					
			Kernel	on	Barley	Malt			Barley	Wort			Alpha-	Beta-					
			Weight	6/64"	Color	Extract	Wort	Wort	Protein	Protein	S/T	DP	amylase	glucan	FAN	Rel.	Turbidity	Quality	Overall
Lab No.	Variety or Selection	Rowec	d (mg)	(%)	(Agtron)	(%)	Color	Clarity	(%)	(%)	(%)	(°ASBC)	(20°DU)	(ppm)	(ppm)	Visco	(Hach)	Score	Rank
5462	6B09-4235	6	32.1	86.5	56	77.4	1.8	1	14.9	5.96	41.8	204	86.5	52	231	1.44	6.1	41	23
5463	SR446	6	28.7	73.1	63	78.7	1.9	1	13.8	7.01	51.5	209	90.9	129	290	1.44	4.5	41	23
5464	SR447	6	29.4	80.3	60	79.7	1.9	1	14.3	6.60	49.3	158	83.5	145	263	1.46	5.0	41	23
5465	SR448	6	33.2	84.0	56	79.3	2.1	1	14.7	7.26	52.3	227	91.2	94	304	1.46	6.3	48	8
5441	HARRINGTON MALT CHECK	2	39.0	96.8	74	82.4	1.5	1	11.9	5.34	48.3	138	88.0	94	192	1.46	3.5	62	
-							_	'						-	-				
5443	LACEY MALT CHECK	6	33.5	89.9	52	79.8	2.3	2	13.1	5.85	46.8	135	63.6	156	204	1.48	22.0	58	-
Minima			28.7	71.7	46	76.1	1.4		12.3	5.18	37.4	104	69.1	52	176	1.40	2.6		
Maxima			41.4	93.5	63	81.2	2.3		16.0	7.41	52.3	245	102.7	445	345	1.49	14.7		
Means			32.9	84.2	55	78.8	1.9		14.4	6.40	45.8	187	82.9	166	253	1.44	5.6		
Standard	Deviations		3.3	5.6	5	1.0	0.2		0.8	0.58	3.7	35	8.5	101	39	0.02	2.3		
Coefficier	nts of Variation		10.1	6.7	9	1.3	9.4		5.4	9.06	8.0	19	10.2	61	16	1.70	40.2		

Malt Check Data are Excluded from Rank Sorting and Statistics

Table Data Flagged by an Asterisk Exceed the Mean by +/- 3 Standard Deviations and are Excluded from Statistics For Wort Clarity - 1 = clear, 2 = slightly hazy, 3 = hazy; Wort Colors were not determined (n.d.) on hazy samples

Samples Submitted by Dr. Richard Horsley, N.D.S.U.

Appendix A: <u>METHODS</u>

Cleaning All samples were cleaned on a Carter Dockage Tester and only grain between 5 and 7/64" was used.

Barley Mill Ground barley was prepared with a Labconco Burr mill that was adjusted so that only 35% of the grist remained on a 525 μ m sieve after 3 min of shaking and tapping.

Kernel Weight The number of kernels in a 20 g aliquot of each sample was counted electronically and the '1000 kernel weight' was calculated.

Plumpness Samples were sized on a Eureka-Niagra Barley Grader and the percentage of the seeds retained on a 6/64" screen was determined.

Barley Color The brightness of the grains was measured using an Agtron M45-D analyzer.

Barley Moisture Content (Barley 5B) Five g of ground sample was dried for 3 h at 104°C. The percentage of weight loss that occurred during this drying was calculated.

Barley Protein Content Total nitrogen values were obtained using an automated Dumas combustion procedure with a LECO FP-528 analyzer. Nitrogen values were converted to protein percentages by multiplication by 6.25.

Malting Conditions 170 g (db) aliquots of barley were processed in Joe White micro-malters. Samples were hydrated to 47% moisture via a 32 h steep at 19°C: 8 h wet, 8 h air, 5 h wet, 5 h air, 2 h wet, 2 h air, 2 h wet. (Larger barleys, > 42 mg/kernel, received a continuous, wet pre-steep (16°C) of between 1 and 3 h). The samples were germinated for 48 h (18°C), 24 h (17°C), and 24 h (16°C), with moisture adjustment to 47% at 0, 24, and 48 h. The samples received 4 full turns every 2 h. The germinated grain was kilned for 24h as follows: 49°C, 10 h; 54°C, 4 h; 60°C, 3 h; 68°C, 2 h; and 85°C, 3 h, with 30 min. ramps between stages. All stages received 40% total flow, with 0% recirculation for stages 1-3, 50% for stage 4, and 75% for stage 5.

Malt Mill Fine-grind malts were prepared with a Miag laboratory cone mill that was adjusted so that 10% of the grist remained on a 525 μ m sieve after 3 min of shaking, with tapping. Malts to be used for moisture, protein and amylolytic activity analyses were ground in a Labconco Burr mill (see Barley Mill).

Malt Moisture Content Determined by Malt 3 (Methods of Analysis of the ASBC, 8th ed, 1992) See Barley Moisture Content.

Malt Protein Content See Barley Protein Content.

Malt Extract Samples were extracted using the Malt-4 procedure (Methods of Analysis of the ASBC, 8th ed, 1992), except that all weights and volumes specified for the method were halved. The specific gravity of the filtrate was measured with an Anton Parr DMA5000 density meter. The density data were used to calculate the amount of soluble material present in the filtrate, and thus the percentage that was extracted from the malt.

Wort Color was determined on a Skalar SAN plus analyzer by measuring the absorbance at 430nm and dividing by a factor determined by collaborative testing.

Wort Clarity was assessed by visual inspection.

β-Glucan Levels were determined on a Skalar SAN plus analyzer by using the Wort-18 fluorescence flow injection analysis method with calcofluor as the fluorescent agent (Methods of Analysis of the ASBC, 8th ed, 1992).

Free Amino Nitrogen Levels were determined on a Skalar SAN plus analyzer using an automated version of the Wort-12 protocol (Methods of Analysis of the ASBC, 8th ed, 1992).

Soluble (Wort) Protein Levels were determined on a Skalar SAN plus analyzer using the Wort-17 UV-spectrophotometric method (Methods of Analysis of the ASBC, 8th ed, 1992).

 $\mbox{S/T}$ Ratio was calculated as Soluble Protein / Total Malt Protein

Diastatic Power Values were determined on a Skalar SAN plus analyzer by the automated ferricyanide procedure Malt-6C (Methods of Analysis of the ASBC, 8th ed, 1992).

 $\alpha\text{-Amylase}$ activities were measured on a Skalar SAN plus analyzer by heating the extract to 73°C to inactivate any $\beta\text{-amylase}$ present. The remaining ($\alpha\text{-amylase}$) activity was measured as described for Diastatic Power Values.

Viscosities were measured on an Anton Paar AMVn rolling ball viscometer. Relative viscosities were reported: flow time of mash extract over the flow time of distilled water.

Turbidities were determined in Nephelometric Turbidity Units (NTU) on a Hach Model 18900 Ratio Turbidimeter.

Quality Scores were calculated by using a modification of the method of Clancy and Ullrich (Cereal Chem. 65:428-430, 1988). The criteria used to quantify individual quality factors are listed in Table A1.

Overall Rank Values were ordered from low to high based on their Quality Scores. A rank of '1' was assigned to the sample with the best quality score.

Appendix B

Quality Score Parameters for 2- and 6-rowed barleys

2-rowed
6-rowed

•	2-rowed		6-rowed	
Quality parameter	condition	score	condition	score
Kernel Weight	> 42.0	5	> 32.0	5
(mg)	40.1 - 42.0	4	30.1-32.0	4
	38.1-40.0	2	28.1-30.0	2
	≤ 38.0	0	\leq 28.0	0
on 6/64 "	\geq 90.0	5	\geq 80.0	5
(%)	85.0-89.9	3	73.0-79.9	3
	< 85.0	0	< 73.0	0
Malt Extract	≥81.0	10	≥ 79.0	10
(% db)	79.4–81.0	7	78.2–78.9	7
	78.0–79.4	4	77.7–78.2	4
	< 78.0	0	< 77.7	0
Mari Olari				
Wort Clarity	2	0	2	0
3=hazy	= 3	0	= 3	0
2=slightly hazy	= 2	1	= 2	1
1=clear	= 1	2	= 1	2
Barlov Protoin	> 12 €	0	> 14.0	0
Barley Protein (% db)	≥ 13.5	0 5	≥ 14.0	0 5
(% db)	13.0–13.5		13.5–13.9 11.5–13.5	5 10
	11.0–13.0	10	11.5–13.5 ≤11.5	10 5
	≤ 11.0	5	≥11.5	5
Wort Protein	> 6.0	0	> 6.0	0
(% db)	5.6–6.0	3	5.7 – 6.0	3
(70 db)	4.4-5.6	7	5.2-5.7	7
	4.0-4.4	3	4.8-5.2	3
	< 4.0	0	< 4.8	0
	1.0	V	\ 1.0	V
S/T (Soluble/Total	> 47	0	> 47	0
Protein, % db)	40–47	5	42–47	5
, , , , , , , , , , , , , , , , , , , ,	< 40	0	< 42	0
DP (Diastatic	> 120	7	> 140	7
Power, ° ASBC)	100-120	4	120-140	4
•	< 100	0	< 120	0
Alpha-amylase	> 45	7	> 45	7
(20° DU)	40-45	4	40-45	4
Beta-glucan	< 100	7	< 120	7
(ppm)	100-150	3	120 - 170	3
	> 150	0	> 170	0
Free Amino Nitrogen	> 190	5	> 200	5
FAN (ppm)	180–190	3	190 - 200	3
	< 180	0	< 190	0